



Midwest Laboratories
13611 B Street
Omaha, NE 68144
P 402-334-7770
F 402-334-9121
www.midwestlabs.com

17 February 2015

Work Order: 1500752

KARLA ADAMI
CITY OF LARAMIE WWTP - 34024
PO BOX C
LARAMIE, WY 82073
RE: Salmonella and Percent Solids

Enclosed are the results of analyses for samples received by the laboratory on 2015-02-10 12:00. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "John S. McManis". The signature is written in a cursive, flowing style.

John McManis
Project Manager
jmcmanis@midwestlabs.com
402-829-9887



Midwest Laboratories
13611 B Street
Omaha, NE 68144
P 402-334-7770
F 402-334-9121
www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024
PO BOX C
LARAMIE, WY 82073

Project: Salmonella and Percent Solids

Project Manager: KARLA ADAMI

Reported:
2015-02-17 10:44

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
01	1500752-01	Solid	2015-02-09 13:00	2015-02-10 12:00
02	1500752-02	Solid	2015-02-09 13:00	2015-02-10 12:00
03	1500752-03	Solid	2015-02-09 13:00	2015-02-10 12:00
04	1500752-04	Solid	2015-02-09 13:00	2015-02-10 12:00
05	1500752-05	Solid	2015-02-09 13:00	2015-02-10 12:00
06	1500752-06	Solid	2015-02-09 13:00	2015-02-10 12:00
07	1500752-07	Solid	2015-02-09 13:00	2015-02-10 12:00



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:44
---	--	--------------------------------------

Sample ID: 01
Laboratory ID: 1500752-01

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	80.33 %	SM 2540 G	2015-02-12	2015-02-12-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:44
---	--	--------------------------------------

Sample ID: 02
Laboratory ID: 1500752-02

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	66.67 %	SM 2540 G	2015-02-12	2015-02-12-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:44
---	--	--------------------------------------

Sample ID: 03
Laboratory ID: 1500752-03

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	84.91 %	SM 2540 G	2015-02-12	2015-02-12-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:44
---	--	--------------------------------------

Sample ID: 04
Laboratory ID: 1500752-04

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	68.60 %	SM 2540 G	2015-02-11	2015-02-11-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:44
---	--	--------------------------------------

Sample ID: 05
Laboratory ID: 1500752-05

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	81.70 %	SM 2540 G	2015-02-11	2015-02-11-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:44
---	--	--------------------------------------

Sample ID: 06
Laboratory ID: 1500752-06

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	86.92 %	SM 2540 G	2015-02-12	2015-02-12-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:44
---	--	--------------------------------------

Sample ID: 07
Laboratory ID: 1500752-07

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	87.46 %	SM 2540 G	2015-02-11	2015-02-11-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024
 PO BOX C
 LARAMIE, WY 82073

Project: Salmonella and Percent Solids

Project Manager: KARLA ADAMI

Reported:
 2015-02-17 10:44

Environmental Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B500837										
Blank (B500837-BLK1)				Prepared: 2015-02-10 Analyzed: 2015-02-11						
Percent Solids	100.0	0.01	%							
LCS (B500837-BS1)				Prepared: 2015-02-10 Analyzed: 2015-02-11						
Percent Solids	97.50	0.01	%	97.4		100	80-120			
Duplicate (B500837-DUP1)				Source: 1500753-06		Prepared: 2015-02-10 Analyzed: 2015-02-11				
Percent Solids	88.28	0.01	%		88.07			0.245	20	
Duplicate (B500837-DUP2)				Source: 1500753-07		Prepared: 2015-02-10 Analyzed: 2015-02-11				
Percent Solids	87.69	0.01	%		77.11			12.8	20	
Batch B500845										
Blank (B500845-BLK1)				Prepared: 2015-02-11 Analyzed: 2015-02-12						
Percent Solids	99.99	0.01	%							
LCS (B500845-BS1)				Prepared: 2015-02-11 Analyzed: 2015-02-12						
Percent Solids	97.36	0.01	%	97.4		100	80-120			
Duplicate (B500845-DUP1)				Source: 1500749-01		Prepared: 2015-02-11 Analyzed: 2015-02-12				
Percent Solids	84.75	0.01	%		84.37			0.450	20	
Duplicate (B500845-DUP2)				Source: 1500753-04		Prepared: 2015-02-11 Analyzed: 2015-02-12				
Percent Solids	77.64	0.01	%		77.17			0.611	20	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024
 PO BOX C
 LARAMIE, WY 82073

Project: Salmonella and Percent Solids

Project Manager: KARLA ADAMI

Reported:
 2015-02-17 10:44

Certified Analyses included in this Report

Analyte	Certifications
EPA 1682 in Solid	
Salmonella	FL
SM 2540 G in Solid	
Percent Solids	FL,IA,WA

Code	Description	Number	Expires
FL	Florida Department of Health	E87918	06/30/2015
IA	Iowa Department of Natural Resources	O64	05/01/2015
KS	Kansas Department of Health and Environment	E-10402	04/30/2015
OK	Oklahoma Department of Environmental Quality	2013-11B	08/31/2015
TX	Texas Commission on Environmental Quality	T104704416-13-5	07/31/2015
UT	State of Utah Department of Health	NE000012013-3	07/31/2015
WA	State of Washington Department of Ecology	C912	06/07/2015



Midwest Laboratories
13611 B Street
Omaha, NE 68144
P 402-334-7770
F 402-334-9121
www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024
PO BOX C
LARAMIE, WY 82073

Project: Salmonella and Percent Solids

Project Manager: KARLA ADAMI

Reported:
2015-02-17 10:44

Notes and Definitions

< Less than reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference



13611 B Street
 Omaha, NE 68144
 Phone 402-334-7770
 Fax 402-334-9121
 www.midwestlabs.com

CHAIN OF CUSTODY

Lab Work Order Number: 1500752
 Date Generated: 01/12/2015


Client Name CITY OF LARAMIE WWTP - 34024		Project Name Salmonella and Percent Solids		Requested Analyses (Test Names)						Copy To:		
Client Contact KARLA ADAMI		Project Description		Percent Solids and Salmonella								
Address PO BOX C		Purchase Order Number										
City LARAMIE		Midwest Labs Contact John McManis										
State/Zip WY, 82073		Regulatory (Circle One) <input checked="" type="radio"/> Yes <input type="radio"/> No										
Phone 3077215204		Regulatory Agency EPA Region 8										
Fax 0		Sample Type (Circle One - See Below) D G W <input checked="" type="radio"/> S/H U P										
Sampler Name (printed) KARLA ADAMI												
Email to:												

Lab ID	Sample Name or Field ID	Sampled Date	Sampled Time	Sample Code	Matrix Code	Container Count	Preservation Code						Sample Comments
							1						
01	01	2-9-15	1pm	15-1	S	1	1						
02	02	"	"	"	S	1	1						
03	03	"	"	"	S	1	1						
04	04	"	"	"	S	1	1						
05	05	"	"	"	S	1	1						
06	06	"	"	"	S	1	1						
07	07	"	"	"	S	1	1						

Relinquished By <i>Karla Adami</i>	Date/Time 2-9-15 1:30pm	Received By <i>Anna Wood</i>	Date/Time 2/10 1125	Lab Internal Use Only: Temperature Upon Receipt: <u>5.00c</u>
Relinquished By	Date/Time	Received By	Date/Time	Cooler Numbers:
Comments:				Notes:

Matrix Codes: S=Solid
 Preservation Codes: 1=Cool 6°C
 Sample Type Codes: D = Drinking Water (Safe Drinking Water Act), G = Groundwater, W = Wastewater (Clean Water Act), S/H = Solid/Hazardous Waste (RCRA), U = Underground Storage Tank (UST), P = Process Water
 Chain of Custody will have a signature upon receipt but no subsequent signatures.
 RC Form 15 - Effective 10/31/2013





Checklist

SAMPLE ACCEPTANCE CHECKLIST

Document Number: RC CHKLIST 001

Revision Number: 1 Effective Date: 2/12/13

Page 1 of 1

Approval: DFJ

Lab Number:

1500752

Thermometer Used: Therm Fisher IR 12

Cooler Intact: Yes No

Received on Ice: Yes No

Sample Temperature (°C): 5.0°

Hand Delivered: Yes No

Date & Initials of person accepting samples: DN 2/10

Comments:

Chain of Custody present?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Chain of Custody complete?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	
Sample ID(s):	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Sample Location(s):	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	
Client Contact:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Analysis Requested:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Sampler name on COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Date & Time of collection:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Sample labels match COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Written in indelible ink?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Labels indicate proper preservation?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Chain of Custody relinquished with signature?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Samples arrived within hold time?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Sufficient volume?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Appropriate containers used?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Filtered volume received for dissolved tests?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Headspace in VOA vials?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Trip Blank present?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	
Temperature Blank present?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	

Client Notification/Resolution: Date/Time Contacted: _____

Person Contacted: _____ Contacted By: _____

Comments/Resolution: _____



Midwest Laboratories
13611 B Street
Omaha, NE 68144
P 402-334-7770
F 402-334-9121
www.midwestlabs.com

17 February 2015

Work Order: 1500751

KARLA ADAMI
CITY OF LARAMIE WWTP - 34024
PO BOX C
LARAMIE, WY 82073
RE: Salmonella and Percent Solids

Enclosed are the results of analyses for samples received by the laboratory on 2015-02-10 11:05. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "John S. McManis". The signature is written in a cursive style with a large initial "J" and "M".

John McManis
Project Manager
jmcmanis@midwestlabs.com
402-829-9887



Midwest Laboratories
13611 B Street
Omaha, NE 68144
P 402-334-7770
F 402-334-9121
www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024
PO BOX C
LARAMIE, WY 82073

Project: Salmonella and Percent Solids

Project Manager: KARLA ADAMI

Reported:
2015-02-17 10:43

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
01	1500751-01	Solid	2015-02-09 13:00	2015-02-10 11:05
02	1500751-02	Solid	2015-02-09 13:00	2015-02-10 11:05
03	1500751-03	Solid	2015-02-09 13:00	2015-02-10 11:05
04	1500751-04	Solid	2015-02-09 13:00	2015-02-10 11:05
05	1500751-05	Solid	2015-02-09 13:00	2015-02-10 11:05
06	1500751-06	Solid	2015-02-09 13:00	2015-02-10 11:05
07	1500751-07	Solid	2015-02-09 13:00	2015-02-10 11:05



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:43
---	--	--------------------------------------

Sample ID: 01
Laboratory ID: 1500751-01

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	85.03 %	SM 2540 G	2015-02-11	2015-02-11-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:43
---	--	--------------------------------------

Sample ID: 02
Laboratory ID: 1500751-02

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	77.72 %	SM 2540 G	2015-02-11	2015-02-11-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:43
---	--	--------------------------------------

Sample ID: 03
Laboratory ID: 1500751-03

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	85.60 %	SM 2540 G	2015-02-11	2015-02-11-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:43
---	--	--------------------------------------

Sample ID: 04
Laboratory ID: 1500751-04

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	89.86 %	SM 2540 G	2015-02-11	2015-02-11-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:43
---	--	--------------------------------------

Sample ID: 05
Laboratory ID: 1500751-05

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	84.61 %	SM 2540 G	2015-02-11	2015-02-11-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:43
---	--	--------------------------------------

Sample ID: 06
Laboratory ID: 1500751-06

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	80.47 %	SM 2540 G	2015-02-11	2015-02-11-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:43
---	--	--------------------------------------

Sample ID: 07
Laboratory ID: 1500751-07

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	87.19 %	SM 2540 G	2015-02-11	2015-02-11-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024
 PO BOX C
 LARAMIE, WY 82073

Project: Salmonella and Percent Solids

Project Manager: KARLA ADAMI

Reported:
 2015-02-17 10:43

Environmental Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B500837										
Blank (B500837-BLK1)				Prepared: 2015-02-10 Analyzed: 2015-02-11						
Percent Solids	100.0	0.01	%							
LCS (B500837-BS1)				Prepared: 2015-02-10 Analyzed: 2015-02-11						
Percent Solids	97.50	0.01	%	97.4		100	80-120			
Duplicate (B500837-DUP1)				Source: 1500753-06			Prepared: 2015-02-10 Analyzed: 2015-02-11			
Percent Solids	88.28	0.01	%		88.07			0.245	20	
Duplicate (B500837-DUP2)				Source: 1500753-07			Prepared: 2015-02-10 Analyzed: 2015-02-11			
Percent Solids	87.69	0.01	%		77.11			12.8	20	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:43
---	--	--------------------------------------

Certified Analyses included in this Report

Analyte	Certifications
EPA 1682 in Solid	
Salmonella	FL
SM 2540 G in Solid	
Percent Solids	FL,IA,WA

Code	Description	Number	Expires
FL	Florida Department of Health	E87918	06/30/2015
IA	Iowa Department of Natural Resources	O64	05/01/2015
KS	Kansas Department of Health and Environment	E-10402	04/30/2015
OK	Oklahoma Department of Environmental Quality	2013-11B	08/31/2015
TX	Texas Commission on Environmental Quality	T104704416-13-5	07/31/2015
UT	State of Utah Department of Health	NE000012013-3	07/31/2015
WA	State of Washington Department of Ecology	C912	06/07/2015



Midwest Laboratories
13611 B Street
Omaha, NE 68144
P 402-334-7770
F 402-334-9121
www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024
PO BOX C
LARAMIE, WY 82073

Project: Salmonella and Percent Solids

Project Manager: KARLA ADAMI

Reported:
2015-02-17 10:43

Notes and Definitions

< Less than reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference



13611 B Street
 Omaha, NE 68144
 Phone 402-334-7770
 Fax 402-334-9121
 www.midwestlabs.com

CHAIN OF CUSTODY

Lab Work Order Number: 1500751
 Date Generated: 01/12/2015

Client Name CITY OF LARAMIE WWTP - 34024	Project Name Salmonella and Percent Solids	Percent Solids and Salmonella	Requested Analyses (Test Names)							Copy To:
Client Contact KARLA ADAMI	Project Description									
Address PO BOX C	Purchase Order Number									
City LARAMIE	Midwest Labs Contact John McManis									
State/Zip WY, 82073	Regulatory (Circle One) <input checked="" type="radio"/> Yes <input type="radio"/> No									
Phone 3077215204	Regulatory Agency EPA Region 8									
Fax 0	Sample Type (Circle One - See Below) D G W <input checked="" type="radio"/> S/H U P									
Sampler Name (printed) KARLA ADAMI								Email to:		

Lab ID	Sample Name or Field ID	Sampled Date	Sampled Time	Sample Code	Matrix Code	Container Count	Preservation Code							Sample Comments	
01	01	2-9-15	1 pm	15-1	S	1	1								
02	02	"	"	"	S	1	1								
03	03	"	"	"	S	1	1								
04	04	"	"	"	S	1	1								
05	05	"	"	"	S	1	1								
06	06	"	"	"	S	1	1								
07	07	"	"	"	S	1	1								

Relinquished By <i>Karla Adami</i>	Date/Time 2-9-15 1:30 pm	Received By <i>James Wood</i>	Date/Time 2/10 11:25	Lab Internal Use Only:
Relinquished By	Date/Time	Received By	Date/Time	Temperature Upon Receipt: <u>5.2°</u>
Comments:				Cooler Numbers:
				Notes:

Matrix Codes: S=Solid

Preservation Codes: 1=Cool 6°C

Sample Type Codes: D = Drinking Water (Safe Drinking Water Act), G = Groundwater, W = Wastewater (Clean Water Act), S/H = Solid/Hazardous Waste (RCRA), U = Underground Storage Tank (UST), P = Process Water

Chain of Custody will have a signature upon receipt but no subsequent signatures.



MWLE1500751-1

SAMPLE ACCEPTANCE CHECKLIST

Document Number: RC CHKLIST 001
 Revision Number: 1 Effective Date: 2/12/13
 Page 1 of 1 Approval: DFJ

Lab Number:

1500751

Thermometer Used: Therm Fisher IR 12

Cooler Intact: Yes No

Sample Temperature (°C): 5.2°

Received on Ice: Yes No

Hand Delivered: Yes No

Date & Initials of person accepting samples: DW 2/10

Comments:

Chain of Custody present?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Chain of Custody complete?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	
Sample ID(s):	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Sample Location(s):	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	
Client Contact:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Analysis Requested:	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Sampler name on COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Date & Time of collection:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Sample labels match COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Written in indelible ink?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Labels indicate proper preservation?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Chain of Custody relinquished with signature?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Samples arrived within hold time?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Sufficient volume?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Appropriate containers used?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Filtered volume received for dissolved tests?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Headspace in VOA vials?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Trip Blank present?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	
Temperature Blank present?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	

Client Notification/Resolution: Date/Time Contacted: _____

Person Contacted: _____ Contacted By: _____

Comments/Resolution: _____



Midwest Laboratories
13611 B Street
Omaha, NE 68144
P 402-334-7770
F 402-334-9121
www.midwestlabs.com

17 February 2015

Work Order: 1500753

KARLA ADAMI
CITY OF LARAMIE WWTP - 34024
PO BOX C
LARAMIE, WY 82073
RE: Salmonella and Percent Solids

Enclosed are the results of analyses for samples received by the laboratory on 2015-02-10 12:00. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "John S. McManis". The signature is written in a cursive style with a large initial "J" and "M".

John McManis
Project Manager
jmcmanis@midwestlabs.com
402-829-9887



Midwest Laboratories
13611 B Street
Omaha, NE 68144
P 402-334-7770
F 402-334-9121
www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024
PO BOX C
LARAMIE, WY 82073

Project: Salmonella and Percent Solids

Project Manager: KARLA ADAMI

Reported:
2015-02-17 10:44

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
01	1500753-01	Solid	2015-02-09 13:00	2015-02-10 12:00
02	1500753-02	Solid	2015-02-09 13:00	2015-02-10 12:00
03	1500753-03	Solid	2015-02-09 13:00	2015-02-10 12:00
04	1500753-04	Solid	2015-02-09 13:00	2015-02-10 12:00
05	1500753-05	Solid	2015-02-09 13:00	2015-02-10 12:00
06	1500753-06	Solid	2015-02-09 13:00	2015-02-10 12:00
07	1500753-07	Solid	2015-02-09 13:00	2015-02-10 12:00



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:44
---	--	--------------------------------------

Sample ID: 01
Laboratory ID: 1500753-01

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	82.63 %	SM 2540 G	2015-02-12	2015-02-12-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:44
---	--	--------------------------------------

Sample ID: 02
Laboratory ID: 1500753-02

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	82.27 %	SM 2540 G	2015-02-12	2015-02-12-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:44
---	--	--------------------------------------

Sample ID: 03
Laboratory ID: 1500753-03

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	73.03 %	SM 2540 G	2015-02-12	2015-02-12-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:44
---	--	--------------------------------------

Sample ID: 04
Laboratory ID: 1500753-04

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	77.17 %	SM 2540 G	2015-02-12	2015-02-12-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:44
---	--	--------------------------------------

Sample ID: 05
Laboratory ID: 1500753-05

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	85.90 %	SM 2540 G	2015-02-11	2015-02-11-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:44
---	--	--------------------------------------

Sample ID: 06
Laboratory ID: 1500753-06

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	88.07 %	SM 2540 G	2015-02-11	2015-02-11-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:44
---	--	--------------------------------------

Sample ID: 07
Laboratory ID: 1500753-07

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	77.11 %	SM 2540 G	2015-02-11	2015-02-11-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024
 PO BOX C
 LARAMIE, WY 82073

Project: Salmonella and Percent Solids

Project Manager: KARLA ADAMI

Reported:
 2015-02-17 10:44

Environmental Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B500837										
Blank (B500837-BLK1)				Prepared: 2015-02-10 Analyzed: 2015-02-11						
Percent Solids	100.0	0.01	%							
LCS (B500837-BS1)				Prepared: 2015-02-10 Analyzed: 2015-02-11						
Percent Solids	97.50	0.01	%	97.4		100	80-120			
Duplicate (B500837-DUP1)				Source: 1500753-06		Prepared: 2015-02-10 Analyzed: 2015-02-11				
Percent Solids	88.28	0.01	%		88.07			0.245	20	
Duplicate (B500837-DUP2)				Source: 1500753-07		Prepared: 2015-02-10 Analyzed: 2015-02-11				
Percent Solids	87.69	0.01	%		77.11			12.8	20	
Batch B500845										
Blank (B500845-BLK1)				Prepared: 2015-02-11 Analyzed: 2015-02-12						
Percent Solids	99.99	0.01	%							
LCS (B500845-BS1)				Prepared: 2015-02-11 Analyzed: 2015-02-12						
Percent Solids	97.36	0.01	%	97.4		100	80-120			
Duplicate (B500845-DUP1)				Source: 1500749-01		Prepared: 2015-02-11 Analyzed: 2015-02-12				
Percent Solids	84.75	0.01	%		84.37			0.450	20	
Duplicate (B500845-DUP2)				Source: 1500753-04		Prepared: 2015-02-11 Analyzed: 2015-02-12				
Percent Solids	77.64	0.01	%		77.17			0.611	20	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024
 PO BOX C
 LARAMIE, WY 82073

Project: Salmonella and Percent Solids

Project Manager: KARLA ADAMI

Reported:
 2015-02-17 10:44

Certified Analyses included in this Report

Analyte	Certifications
EPA 1682 in Solid	
Salmonella	FL
SM 2540 G in Solid	
Percent Solids	FL,IA,WA

Code	Description	Number	Expires
FL	Florida Department of Health	E87918	06/30/2015
IA	Iowa Department of Natural Resources	O64	05/01/2015
KS	Kansas Department of Health and Environment	E-10402	04/30/2015
OK	Oklahoma Department of Environmental Quality	2013-11B	08/31/2015
TX	Texas Commission on Environmental Quality	T104704416-13-5	07/31/2015
UT	State of Utah Department of Health	NE000012013-3	07/31/2015
WA	State of Washington Department of Ecology	C912	06/07/2015



Midwest Laboratories
13611 B Street
Omaha, NE 68144
P 402-334-7770
F 402-334-9121
www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024
PO BOX C
LARAMIE, WY 82073

Project: Salmonella and Percent Solids

Project Manager: KARLA ADAMI

Reported:
2015-02-17 10:44

Notes and Definitions

< Less than reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference



13611 B Street
 Omaha, NE 68144
 Phone 402-334-7770
 Fax 402-334-9121
 www.midwestlabs.com

CHAIN OF CUSTODY

Lab Work Order Number: 1500753
 Date Generated: 01/12/2015

Client Name CITY OF LARAMIE WWTP - 34024	Project Name Salmonella and Percent Solids	Percent Solids and Salmonella	Requested Analyses (Test Names)						Copy To:
Client Contact KARLA ADAMI	Project Description								
Address PO BOX C	Purchase Order Number								
City LARAMIE	Midwest Labs Contact John McManis								
State/Zip WY, 82073	Regulatory (Circle One) <input checked="" type="radio"/> Yes <input type="radio"/> No								
Phone 3077215204	Regulatory Agency EPA Region 8								
Fax 0	Sample Type (Circle One - See Below) D G W <input checked="" type="radio"/> S/H U P								
Sampler Name (printed) KARLA ADAMI							Email to:		

Lab ID	Sample Name or Field ID	Sampled Date	Sampled Time	Sample Code	Matrix Code	Container Count	Preservation Code						Sample Comments
							1						
01	01	2-9-15	1pm	15-1	S	1	1						
02	02	"	"	"	S	1	1						
03	03	"	"	"	S	1	1						
04	04	"	"	"	S	1	1						
05	05	"	"	"	S	1	1						
06	06	"	"	"	S	1	1						
07	07	"	"	"	S	1	1						

Relinquished By <i>Karla Adami</i>	Date/Time 2-9-15 1:30pm	Received By <i>Janie Wood</i>	Date/Time 2/10/15	Lab Internal Use Only:
Relinquished By	Date/Time	Received By	Date/Time	Temperature Upon Receipt: <u>5.4°C</u>
Comments:				Cooler Numbers:
				Notes:

Matrix Codes: S=Solid
 Preservation Codes: 1=Cool 6°C
 Sample Type Codes: D = Drinking Water (Safe Drinking Water Act), G = Groundwater, W = Wastewater (Clean Water Act), S/H = Solid/Hazardous Waste (RCRA), U = Underground Storage Tank (UST), P = Process Water
 Chain of Custody will have a signature upon receipt but no subsequent signatures.
 RC Form 15 - Effective 10/31/2013





Checklist

SAMPLE ACCEPTANCE CHECKLIST

Document Number: RC CHKLIST 001

Revision Number: 1 Effective Date: 2/12/13

Page 1 of 1

Approval: DFJ

Lab Number:

1500753

Thermometer Used: Therm Fisher IR 12

Cooler Intact: Yes No

Received on Ice: Yes No

Hand Delivered: Yes No

Sample Temperature (°C): 5.4°

Date & Initials of person accepting samples: JW 2/10

Comments:

Chain of Custody present?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Chain of Custody complete?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	
Sample ID(s):	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Sample Location(s):	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	
Client Contact:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Analysis Requested:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Sampler name on COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Date & Time of collection:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Sample labels match COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Written in indelible ink?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Labels indicate proper preservation?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Chain of Custody relinquished with signature?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Samples arrived within hold time?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Sufficient volume?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Appropriate containers used?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Filtered volume received for dissolved tests?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Headspace in VOA vials?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Trip Blank present?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	
Temperature Blank present?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	

Client Notification/Resolution: Date/Time Contacted: _____

Person Contacted: _____ Contacted By: _____

Comments/Resolution: _____



Midwest Laboratories
13611 B Street
Omaha, NE 68144
P 402-334-7770
F 402-334-9121
www.midwestlabs.com

17 February 2015

Work Order: 1500750

KARLA ADAMI
CITY OF LARAMIE WWTP - 34024
PO BOX C
LARAMIE, WY 82073
RE: Salmonella and Percent Solids

Enclosed are the results of analyses for samples received by the laboratory on 2015-02-10 11:50. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "John S. McManis". The signature is written in a cursive style with a large, prominent initial "J".

John McManis
Project Manager
jmcmanis@midwestlabs.com
402-829-9887



Midwest Laboratories
13611 B Street
Omaha, NE 68144
P 402-334-7770
F 402-334-9121
www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024
PO BOX C
LARAMIE, WY 82073

Project: Salmonella and Percent Solids

Project Manager: KARLA ADAMI

Reported:
2015-02-17 10:42

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
01	1500750-01	Solid	2015-02-09 13:00	2015-02-10 11:50
02	1500750-02	Solid	2015-02-09 13:00	2015-02-10 11:50
03	1500750-03	Solid	2015-02-09 13:00	2015-02-10 11:50
04	1500750-04	Solid	2015-02-09 13:00	2015-02-10 11:50
05	1500750-05	Solid	2015-02-09 13:00	2015-02-10 11:50
06	1500750-06	Solid	2015-02-09 13:00	2015-02-10 11:50
07	1500750-07	Solid	2015-02-09 13:00	2015-02-10 11:50



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:42
---	--	--------------------------------------

Sample ID: 01
Laboratory ID: 1500750-01

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	86.50 %	SM 2540 G	2015-02-11	2015-02-11-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:42
---	--	--------------------------------------

Sample ID: 02
Laboratory ID: 1500750-02

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	86.28 %	SM 2540 G	2015-02-11	2015-02-11-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:42
---	--	--------------------------------------

Sample ID: 03
Laboratory ID: 1500750-03

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	86.69 %	SM 2540 G	2015-02-11	2015-02-11-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:42
---	--	--------------------------------------

Sample ID: 04
Laboratory ID: 1500750-04

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	79.97 %	SM 2540 G	2015-02-11	2015-02-11-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:42
---	--	--------------------------------------

Sample ID: 05
Laboratory ID: 1500750-05

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	65.71 %	SM 2540 G	2015-02-11	2015-02-11-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:42
---	--	--------------------------------------

Sample ID: 06
Laboratory ID: 1500750-06

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	85.97 %	SM 2540 G	2015-02-11	2015-02-11-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:42
---	--	--------------------------------------

Sample ID: 07
Laboratory ID: 1500750-07

Analyte	Dry Weight Result	Reporting Limit	Units	As Received Result	Method	Analyzed	Reviewed	Notes
Environmental Chemistry								
Percent Solids		0.01	%	82.83 %	SM 2540 G	2015-02-11	2015-02-11-cmw2	
Microbiology								
Salmonella	<	0.1	MPN/4g dry	< MPN/4g	EPA 1682	2015-02-16	2015-02-16-kej7	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:42
---	--	--------------------------------------

Environmental Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B500837										
Blank (B500837-BLK1)				Prepared: 2015-02-10 Analyzed: 2015-02-11						
Percent Solids	100.0	0.01	%							
LCS (B500837-BS1)				Prepared: 2015-02-10 Analyzed: 2015-02-11						
Percent Solids	97.50	0.01	%	97.4		100	80-120			
Duplicate (B500837-DUP1)				Source: 1500753-06			Prepared: 2015-02-10 Analyzed: 2015-02-11			
Percent Solids	88.28	0.01	%		88.07			0.245	20	
Duplicate (B500837-DUP2)				Source: 1500753-07			Prepared: 2015-02-10 Analyzed: 2015-02-11			
Percent Solids	87.69	0.01	%		77.11			12.8	20	



Midwest Laboratories
 13611 B Street
 Omaha, NE 68144
 P 402-334-7770
 F 402-334-9121
 www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024 PO BOX C LARAMIE, WY 82073	Project: Salmonella and Percent Solids Project Manager: KARLA ADAMI	Reported: 2015-02-17 10:42
---	--	--------------------------------------

Certified Analyses included in this Report

Analyte	Certifications
EPA 1682 in Solid	
Salmonella	FL
SM 2540 G in Solid	
Percent Solids	FL,IA,WA

Code	Description	Number	Expires
FL	Florida Department of Health	E87918	06/30/2015
IA	Iowa Department of Natural Resources	O64	05/01/2015
KS	Kansas Department of Health and Environment	E-10402	04/30/2015
OK	Oklahoma Department of Environmental Quality	2013-11B	08/31/2015
TX	Texas Commission on Environmental Quality	T104704416-13-5	07/31/2015
UT	State of Utah Department of Health	NE000012013-3	07/31/2015
WA	State of Washington Department of Ecology	C912	06/07/2015



Midwest Laboratories
13611 B Street
Omaha, NE 68144
P 402-334-7770
F 402-334-9121
www.midwestlabs.com

CITY OF LARAMIE WWTP - 34024
PO BOX C
LARAMIE, WY 82073

Project: Salmonella and Percent Solids

Project Manager: KARLA ADAMI

Reported:
2015-02-17 10:42

Notes and Definitions

< Less than reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference



13611 B Street
 Omaha, NE 68144
 Phone 402-334-7770
 Fax 402-334-9121
 www.midwestlabs.com

CHAIN OF CUSTODY

Lab Work Order Number: 1500750
 Date Generated: 01/12/2015

Client Name CITY OF LARAMIE WWTP - 34024		Project Name Salmonella and Percent Solids		Requested Analyses (Test Names)					Copy To:	
Client Contact KARLA ADAMI		Project Description		Percent Solids and Salmonella						
Address PO BOX C		Purchase Order Number								
City LARAMIE		Midwest Labs Contact John McManis								
State/Zip WY, 82073		Regulatory (Circle One) <input checked="" type="radio"/> Yes <input type="radio"/> No								
Phone 3077215204		Regulatory Agency EPA Region 8								
Fax 307-721-3077		Sample Type (Circle One - See Below) D G W <input checked="" type="radio"/> S U P								
Sampler Name (printed) KARLA ADAMI										
									Email to:	

Lab ID	Sample Name or Field ID	Sampled Date	Sampled Time	Sample Code	Matrix Code	Container Count	Preservation Code					Sample Comments
01	01	2-9-15	1pm	15-1	S	1	1					
02	02				S	1	1					
03	03				S	1	1					
04	04				S	1	1					
05	05				S	1	1					
06	06				S	1	1					
07	07				S	1	1					

Relinquished By <i>Karla Adami</i>	Date/Time 2-9-15 1:30pm	Received By <i>Ann Wood</i>	Date/Time 2/10 1125	Lab Internal Use Only:	
Relinquished By	Date/Time	Received By	Date/Time	Temperature Upon Receipt:	<i>4.8</i>
Comments:				Cooler Numbers:	
				Notes:	

Matrix Codes: S=Solid
 Preservation Codes: 1=Cool 6°C
 Sample Type Codes: D = Drinking Water (Safe Drinking Water Act), G = Groundwater, W = Wastewater (Clean Water Act), S/H = Solid/Hazardous Waste (RCRA), U = Underground Storage Tank (UST), P = Process Water

Chain of Custody will have a signature upon receipt but no subsequent signatures.
 RC Form 15 - Effective 10/31/2013



SAMPLE ACCEPTANCE CHECKLIST

Document Number: RC CHKLIST 001
 Revision Number: 1 Effective Date: 2/12/13
 Page 1 of 1 Approval: DFJ

Lab Number:

1500750

Thermometer Used: Therm Fisher IR 12

Cooler Intact: Yes No

Received on Ice: Yes No

Sample Temperature (°C): 4.8°C

Hand Delivered: Yes No

TEJW 2/10

Date & Initials of person accepting samples: JW 2/10

Comments:

Chain of Custody present?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Chain of Custody complete?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	
Sample ID(s):	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Sample Location(s):	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	
Client Contact:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Analysis Requested:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Sampler name on COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Date & Time of collection:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Sample labels match COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Written in indelible ink?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Labels indicate proper preservation?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Chain of Custody relinquished with signature?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Samples arrived within hold time?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Sufficient volume?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Appropriate containers used?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Filtered volume received for dissolved tests?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Headspace in VOA vials?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Trip Blank present?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	
Temperature Blank present?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	

Client Notification/Resolution: Date/Time Contacted: _____

Person Contacted: _____ Contacted By: _____

Comments/Resolution: _____